



Full Bed Masonry Stone 4" - 6" Bed



Limestone | Vener Ledge

MLLNR | Limestone Midnight Grey | Ledge | 1"-8" Thickness, 6"-42" Length, 4"-6" Depth, Natural Texture on Face & Natural sides

Dimensions	Average Coverage
1"-8" Height	35 Sq Feet per Ton
6"-42" Length	Criteria for Coverage - Depth
4"-6" Depth	
Standard Unit	3,000 lbs. Pallet



Full Bed Masonry Stone 4" - 6" Bed




Limestone | Vener Ledge

MLLON | Limestone Midnight Grey | Ledge Oversized | 7"-18" Thickness, 6"-42" Length, 4"-6" Depth, Natural Texture on Face & Natural sides

Dimensions	Average Coverage
7"-18" Height	35 Sq Feet per Ton
6"-42" Length	Criteria for Coverage - Depth
4"-6" Depth	
Standard Unit	3,000 lbs. Pallet



Full Bed Masonry Stone 4" - 6" Bed




Limestone | Vener Ledge

MLSR | Limestone Midnight Grey | Squares & Rectangles | 3"-12" Thickness, 3"-42" Length, 4"-6" Depth, Natural Texture on Face & Natural sides

Dimensions	Average Coverage
3"-12" Height	35 Sq Feet per Ton
3"-42" Length	Criteria for Coverage - Depth
4"-6" Depth	
Standard Unit	3,000 lbs. Pallet



Thin Veneer 1-1.25" Bed




Limestone | Thin Veneer

MLTVLN | Limestone Midnight Grey | Thin Veneer Ledge | 3"-8" Thickness, 6"-42" Length, .75"-1.25" Depth, Natural Texture on Face & Natural sides

Dimensions	Average Coverage
3"-8" Height	1 SqFT
6"-42" Length	Criteria for Coverage - Thickness
.75"-1.25" Depth	
Standard Unit	SqFT



Thin Veneer 1-1.25" Bed




Limestone | Thin Veneer

MLTVLNC | Limestone Midnight Grey | Thin Veneer Ledge Corner | 3"-8" Thickness, 6"-42" Length, .75"-1.25" Depth, Natural Texture on Face & Natural sides

Dimensions	Average Coverage
3"-8" Height	1 SqFT
6"-42" Length	Criteria for Coverage - Thickness
.75"-1.25" Depth	
Standard Unit	SqFT

Thin Veneer 1-1.25" Bed



Limestone | Thin Veneer Squares & Rects

MLTVSR | Limestone Midnight Grey | Thin Veneer Squares & Rectangles | 3"-12" Thickness, 3"-42" Length, .75"-1.25" Depth, Natural Texture on Face & Natural sides

Dimensions	Average Coverage
3"-12" Height	1 SqFT
3"-42" Length	Criteria for Coverage - Thickness
.75"-1.25" Depth	
Standard Unit	SqFT






<div> <div>Limestone From the Valley's of Montana</div> <div>   </div> </div>		
<div>Half Bed Masonry Stone 2" - 3.5" Bed</div>		<div>Limestone   Flagstone</div> <div>                     MLFLS200   Limestone Midnight Grey   Flagstone Steppers 2   1.75"-2.25" Thickness, 8"-18" Length, 8"-18" Depth, Natural Texture on Face &amp; Natural sides                 </div> <div> <div>Dimensions</div> <div>Average Coverage</div> </div> <div>                     1.75"-2.25" Height75 Sq Feet per Ton                 </div> <div>                     8"-18" LengthCriteria for Coverage - Thickness                 </div> <div>                     8"-18" Depth                 </div> <div>                     Standard Unit3,000 lbs. Pallet                 </div>
<div>Half Bed Masonry Stone 2" - 3.5" Bed</div>		<div>Limestone   Flagstone</div> <div>                     MLFL200   Limestone Midnight Grey   Flagstone 2 (Premium)   1.75"-2.25" Thickness, 18"-36" Length, 18"+ Depth, Natural Texture on Face &amp; Natural sides                 </div> <div> <div>Dimensions</div> <div>Average Coverage</div> </div> <div>                     1.75"-2.25" Height75 Sq Feet per Ton                 </div> <div>                     18"-36" LengthCriteria for Coverage - Thickness                 </div> <div>                     18"+ Depth                 </div> <div>                     Standard Unit3,000 lbs. Pallet                 </div>
<div>Half Bed Masonry Stone 2" - 3.5" Bed</div>		<div>Limestone   Flagstone</div> <div>                     MLFLX200   Limestone Midnight Grey   Flagstone 2 (Extra Large)   1.75"-2.25" Thickness, 18"-48" Length, 36"+ Depth, Natural Texture on Face &amp; Natural sides                 </div> <div> <div>Dimensions</div> <div>Average Coverage</div> </div> <div>                     1.75"-2.25" Height75 Sq Feet per Ton                 </div> <div>                     18"-48" LengthCriteria for Coverage - Thickness                 </div> <div>                     36"+ Depth                 </div> <div>                     Standard Unit3,000 lbs. Pallet                 </div>
<div>Retainin g Wall Stone</div>		<div>Limestone   Wall Ledge Stone</div> <div>                     MLWLS   Limestone Midnight Grey   Wall Ledge   2"-8" Thickness, 8-24" Length, 6"-12" Depth, Natural Texture on Face &amp; Natural sides                 </div> <div> <div>Dimensions</div> <div>Average Coverage</div> </div> <div>                     2"-8" Height16 Sq Feet per Ton                 </div> <div>                     8-24" LengthCriteria for Coverage - Depth                 </div> <div>                     6"-12" Depth                 </div> <div>                     Standard Unit3,000 lbs. Pallet                 </div>
<div>Wall Capes</div>		<div>Limestone   Wall Caps</div> <div>                     MLWCS   Limestone Midnight Grey   Wall caps with natural character   2"-4" Thickness, 12"-36" Length, 12"-14" Depth, Natural Texture on Face &amp; Natural sides                 </div> <div> <div>Dimensions</div> <div>Average Coverage</div> </div> <div>                     2"-4" Height50 Sq Feet per Ton                 </div> <div>                     12"-36" LengthCriteria for Coverage - Thickness                 </div> <div>                     12"-14" Depth                 </div> <div>                     Standard Unit3,000 lbs. Pallet                 </div>
<div>Other Masonry Items</div>		<div>Limestone   Mantels</div> <div>                     MLMNT   Limestone Midnight Grey   Mantels   2"-8" Thickness, 36"-84" Length, 8"-14" Depth, Natural Texture on Face &amp; Natural sides                 </div> <div> <div>Dimensions</div> <div>Average Coverage</div> </div> <div>                     2"-8" Height1 Sq Feet per Ton                 </div> <div>                     36"-84" LengthCriteria for Coverage - Size &amp; Weight                 </div> <div>                     8"-14" Depth                 </div> <div>                     Standard UnitEach Stone                 </div>



Limestone From the Valley's of Montana												
Landscape Bed Materials		<div>Limestone   Hearths</div> <p>MLHRTTH   Limestone Riprap Midnight Limestone   Hearths   3"-12" Thickness, 48"-120" Length, 14"-36" Depth, Natural Texture on Face &amp; Natural sides</p> <table><tr><td><u>Dimensions</u></td><td><u>Average Coverage</u></td></tr><tr><td>3"-12" Height</td><td>1 Sq Feet per Ton</td></tr><tr><td>48"-120" Length</td><td>Criteria for Coverage - Size &amp; Weight</td></tr><tr><td>14"-36" Depth</td><td></td></tr><tr><td>Standard Unit</td><td>Each Stone</td></tr></table>	<u>Dimensions</u>	<u>Average Coverage</u>	3"-12" Height	1 Sq Feet per Ton	48"-120" Length	Criteria for Coverage - Size & Weight	14"-36" Depth		Standard Unit	Each Stone
	<u>Dimensions</u>	<u>Average Coverage</u>										
3"-12" Height	1 Sq Feet per Ton											
48"-120" Length	Criteria for Coverage - Size & Weight											
14"-36" Depth												
Standard Unit	Each Stone											
Steps		<div>Limestone   Steps - Garden</div> <p>MLSTG67   Limestone Midnight Grey   Polygon and Rectangle Shaped Steps   6"-7" Thickness, 24"-30" Length, 14"-20" Depth, Natural Texture on Face &amp; Natural sides</p> <table><tr><td><u>Dimensions</u></td><td><u>Average Coverage</u></td></tr><tr><td>6"-7" Height</td><td>1 Each</td></tr><tr><td>24"-30" Length</td><td>Criteria for Coverage - Each</td></tr><tr><td>14"-20" Depth</td><td></td></tr><tr><td>Standard Unit</td><td>Each Stone</td></tr></table>	<u>Dimensions</u>	<u>Average Coverage</u>	6"-7" Height	1 Each	24"-30" Length	Criteria for Coverage - Each	14"-20" Depth		Standard Unit	Each Stone
	<u>Dimensions</u>	<u>Average Coverage</u>										
6"-7" Height	1 Each											
24"-30" Length	Criteria for Coverage - Each											
14"-20" Depth												
Standard Unit	Each Stone											
Steps		<div>Limestone   Steps - Garden</div> <p>MLSTG89   Limestone Midnight Grey   Polygon and Rectangle Shaped Steps   8"-9" Thickness, 24"-30" Length, 14"-20" Depth, Natural Texture on Face &amp; Natural sides</p> <table><tr><td><u>Dimensions</u></td><td><u>Average Coverage</u></td></tr><tr><td>8"-9" Height</td><td>1 Each</td></tr><tr><td>24"-30" Length</td><td>Criteria for Coverage - Each</td></tr><tr><td>14"-20" Depth</td><td></td></tr><tr><td>Standard Unit</td><td>Each Stone</td></tr></table>	<u>Dimensions</u>	<u>Average Coverage</u>	8"-9" Height	1 Each	24"-30" Length	Criteria for Coverage - Each	14"-20" Depth		Standard Unit	Each Stone
	<u>Dimensions</u>	<u>Average Coverage</u>										
8"-9" Height	1 Each											
24"-30" Length	Criteria for Coverage - Each											
14"-20" Depth												
Standard Unit	Each Stone											
Sill		<div>Limestone   Masonry Sills</div> <p>MLSLS   Limestone Midnight Grey   Sills   2" Thickness, 18"+ Length, 2"-3" Depth, Natural Texture on Face &amp; Natural sides</p> <table><tr><td><u>Dimensions</u></td><td><u>Average Coverage</u></td></tr><tr><td>2" Height</td><td>161 LFT</td></tr><tr><td>18"+ Length</td><td>Criteria for Coverage - Length</td></tr><tr><td>2"-3" Depth</td><td></td></tr><tr><td>Standard Unit</td><td>3,000 lbs. Pallet</td></tr></table>	<u>Dimensions</u>	<u>Average Coverage</u>	2" Height	161 LFT	18"+ Length	Criteria for Coverage - Length	2"-3" Depth		Standard Unit	3,000 lbs. Pallet
	<u>Dimensions</u>	<u>Average Coverage</u>										
2" Height	161 LFT											
18"+ Length	Criteria for Coverage - Length											
2"-3" Depth												
Standard Unit	3,000 lbs. Pallet											
Steps		<div>Limestone   Steps - Standard</div> <p>MLSTS67   Limestone Midnight Grey   Polygon and Rectangle Shaped Steps   6"-7" Thickness, 30"-42" Length, 14"-20" Depth, Natural Texture on Face &amp; Natural sides</p> <table><tr><td><u>Dimensions</u></td><td><u>Average Coverage</u></td></tr><tr><td>6"-7" Height</td><td>1 Each</td></tr><tr><td>30"-42" Length</td><td>Criteria for Coverage - Each</td></tr><tr><td>14"-20" Depth</td><td></td></tr><tr><td>Standard Unit</td><td>Each Stone</td></tr></table>	<u>Dimensions</u>	<u>Average Coverage</u>	6"-7" Height	1 Each	30"-42" Length	Criteria for Coverage - Each	14"-20" Depth		Standard Unit	Each Stone
	<u>Dimensions</u>	<u>Average Coverage</u>										
6"-7" Height	1 Each											
30"-42" Length	Criteria for Coverage - Each											
14"-20" Depth												
Standard Unit	Each Stone											
Steps		<div>Limestone   Steps - Standard</div> <p>MLSTS89   Limestone Midnight Grey   Polygon and Rectangle Shaped Steps   8"-9" Thickness, 30"-42" Length, 14"-20" Depth, Natural Texture on Face &amp; Natural sides</p> <table><tr><td><u>Dimensions</u></td><td><u>Average Coverage</u></td></tr><tr><td>8"-9" Height</td><td>1 Each</td></tr><tr><td>30"-42" Length</td><td>Criteria for Coverage - Each</td></tr><tr><td>14"-20" Depth</td><td></td></tr><tr><td>Standard Unit</td><td>Each Stone</td></tr></table>	<u>Dimensions</u>	<u>Average Coverage</u>	8"-9" Height	1 Each	30"-42" Length	Criteria for Coverage - Each	14"-20" Depth		Standard Unit	Each Stone
	<u>Dimensions</u>	<u>Average Coverage</u>										
8"-9" Height	1 Each											
30"-42" Length	Criteria for Coverage - Each											
14"-20" Depth												
Standard Unit	Each Stone											



<div> <div>Limestone From the Valley's of Montana</div> <div>  </div> </div>	
Steps	<div> <div>  </div> <div> <div>Limestone   Steps - Large</div> <div> <div>MLSTL67   Limestone Midnight Grey   Polygon and Rectangle Shaped Steps   6"-7" Thickness, 42"-54" Length, 14"-26" Depth, Natural Texture on Face &amp; Natural sides</div> <div> <div>DimensionsAverage Coverage</div> <div> <div>6"-7" Height1 Each</div> <div>42"-54" LengthCriteria for Coverage - Each</div> <div>14"-26" Depth</div> <div>Standard UnitEach Stone</div> </div> </div> </div> </div> </div>
	<div> <div>Limestone   Steps - Large</div> <div> <div>MLSTL89   Limestone Midnight Grey   Polygon and Rectangle Shaped Steps   8"-9" Thickness, 42"-54" Length, 14"-26" Depth, Natural Texture on Face &amp; Natural sides</div> <div> <div>DimensionsAverage Coverage</div> <div> <div>8"-9" Height1 Each</div> <div>42"-54" LengthCriteria for Coverage - Each</div> <div>14"-26" Depth</div> <div>Standard UnitEach Stone</div> </div> </div> </div> </div>
Steps	<div> <div>Limestone   Steps - Over sized</div> <div> <div>MLSTO   Limestone Midnight Grey   Polygon and Rectangle Shaped Steps   6"-8" Thickness, 54"-72" Length, 14"-32" Depth, Natural Texture on Face &amp; Natural sides</div> <div> <div>DimensionsAverage Coverage</div> <div> <div>6"-8" Height1 Each</div> <div>54"-72" LengthCriteria for Coverage - Each</div> <div>14"-32" Depth</div> <div>Standard UnitEach Stone</div> </div> </div> </div> </div>
Steps	<div> <div>Limestone   Steps - Over sized</div> <div> <div>MLSTOC   Limestone Midnight Grey   Polygon and Rectangle Shaped Steps   4"-10" Thickness, 24"-72"+ Length, 10"-50" Depth, Natural Texture on Face &amp; Natural sides</div> <div> <div>DimensionsAverage Coverage</div> <div> <div>4"-10" Height1 Each</div> <div>24"-72"+ LengthCriteria for Coverage - Each</div> <div>10"-50" Depth</div> <div>Standard UnitEach Stone</div> </div> </div> </div> </div>
Steps	<div> <div>Limestone   Steps</div> <div> <div>  </div> <div> <div>MLSLA   Limestone Midnight Grey   Slabs Assorted   7"-18" Thickness, 60"+ Length, 36"+ Depth, Natural Texture on Face &amp; Natural sides</div> <div> <div>DimensionsAverage Coverage</div> <div> <div>7"-18" Height1 Sq Feet per Ton</div> <div>60"+ LengthCriteria for Coverage - Each</div> <div>36"+ Depth</div> <div>Standard UnitEach Stone</div> </div> </div> </div> </div></div>
Other Masonry Items	<div> <div>Limestone   Plate</div> <div> <div>MLPLSH   Limestone Midnight Grey   Plates Half   2"-3" Thickness, 48"+ Length, 36"+ Depth, Natural Texture on Face &amp; Natural sides</div> <div> <div>DimensionsAverage Coverage</div> <div> <div>2"-3" Height4 Sq Feet per Ton</div> <div>48"+ LengthCriteria for Coverage - Thickness</div> <div>36"+ Depth</div> <div>Standard UnitEach Stone</div> </div> </div> </div> </div>







**Limestone | Plate**



Other  
Masonry  
Items

MLPLSF | Limestone Midnight Grey | Plates Full | 4"-6" Thickness,  
48"+ Length, 36"+ Depth, Natural Texture on Face & Natural sides

<u>Dimensions</u>	<u>Average Coverage</u>
4"-6" Height	4 Sq Feet per Ton
48"+ Length	Criteria for Coverage - Thickness
36"+ Depth	
Standard Unit	Each Stone

**Ironside Stone Works, Inc.**  
5700 Sperry Dr.  
Helena, MT 59602  
Email: [Sales@IronsideStoneWorks.com](mailto:Sales@IronsideStoneWorks.com)  
Phone: [\(406\) 22-STONE, Option 1](tel:(406)22-STONE,Option1)  
[\(406\) 22-78663](tel:(406)22-78663)